




PUBLIC PRICE LIST 2023/1



Retail prices in Euro, applicable from January 2nd 2023

Due to constant increases in raw materials and components, this prices may change throughout 2023.

Product	Code		Description	Recommended retail unit price 2023 in EUR
STANDALONE SYSTEMS				
	EASYBKA		Anti-vandal stand-alone backlit keypad, 500 users, 2 relay outputs 3A, resinate electronics, IP65, 2 m cable	284,07
	EASYBKR		Anti-vandal stand-alone backlit keypad, 500 users, 2 relay outputs 3A, resinate electronics, IP65, terminal blocks output	307,67
	EASYACCESS		Vandal proof remote control keypad	362,07
	RADIOKEYD+		2-channel encrypted radio keypad, 433,920 MHz, 2 communication mode: Monocode & Multicodes, vandal-proof, resinated electronics	173,62
	KITRADIOKEYD+		RADIOKEYD+ keypad + MRMINI2E+, 433 MHz	275,00
	M2000-BT		Control unit for 2.000 users, with built-in 433.920 MHz Rolling code radio receiver, 2 Wiegand or Data Clock inputs, 1 RS485 output. 2 virtual remotes included - Smartphone programming - 12V Power supply	383,86
CENTRALIZED SYSTEMS				
	MT50000/2		Access control board with native IP, 50.000 users, 2 inputs for readers, 3 relay outputs 3A, 15.000 events	1639,45
	MT50000/2-M		MT50000/2 control board in metal box with 4,5A backup power supply (battery not included)	1914,04
	MT50000/4	<i>New!</i>	Access control board with native IP, 50.000 users, 4 inputs for readers, 5 relay outputs 3A , 15.000 events	2407,44
	MT50000/4-M	<i>New!</i>	MT50000/4 control board in metal box with 4,5A backup power supply (battery not included)	2661,87
	MT50000/EXT4		Extension module for MT15000/2 or MT50000/4 unit, 4 additional inputs for readers	989,01
	MT50000/EXT4-M		MT50000/EXT4 extension module in metal box with 4,5A backup power supply (battery not included)	1263,61
	MT50000/EXT-IO		Extension module for MT50000/2 or MT50000/4 unit, 8 inputs + 8 relay outputs	1166,71
	MT50000/EXTIO-M		MT50000/EXT-IO extension module in metal box with 4,5A backup power supply (battery not included)	1440,75



PUBLIC PRICE LIST 2023/1



Retail prices in Euro, applicable from January 2nd 2023

Due to constant increases in raw materials and components, this prices may change throughout 2023.

Product	Code		Description	Recommended retail unit price 2023 in EUR
READERS & BADGES				
	EASYBKW		Anti-vandal backlit keypad, 1 Wiegand/Data clock output, resinate electronics, IP65, 2 m cable	292,55
	FMBOX		Vandal-proof box for EASYMINI / MPROXMINI, flush-mounting	101,08
	MRRE-4-USB		433.920 MHz radio receiver for TC2E / TC4E / MPSTP2E / SLIM2E / SLIM4E 4 independant multiprotocol outputs, USB connection, 4 activation inputs	279,12
	MRRE-4-USB+		Encrypted 433.920 MHz radio receiver for SLIM+ and SLIM2E+, 4 independant multiprotocol outputs, USB connection, 4 activation inputs	299,05
125 KHz Proximity technology				
	MPROXMINI		Proximity miniaturised reader 125 KHz, resinate electronics, IP67	169,84
	LPROX		Proximity reader 125 KHz, resinated electronics, IP67	137,25
	MBAD2		Proximity card 125 KHz, ISO2 format (credit card format with magnetic stripe)	5,88
	MBPRO		Proximity card 125 KHz, "Clamshell" format	8,49
	MISOPROX		Proximity card 125 KHz, ISO format (credit card format)	5,01
	MTAG		Proximity tag 125 KHz, key-holder format	10,51
	SLIM+DT		4-channel transmitter 433,920 MHz, rolling code, XP and RW+, crypted transmission, black & chrome-plated casing with integrated 125 KHz proximity chip	50,86
	SLIM4EDT		SLIM4E transmitter with integrated 125 KHz proximity chip	47,62
"Mifare"® Proximity technology 13,56 MHz				
	ISOPROMF		Mifare® proximity card 13.56 MHz technology, ISO format	4,06
	SLIM+MF		SLIM+ transmitter with integrated Mifare® proximity chip 13.56 MHz	54,08
	SLIM4EMF		SLIM4E transmitter with integrated Mifare® proximity chip 13.56 MHz	51,57
	LPROX-MF		Mifare® 13,56 MHz proximity reader, resinated electronics IP67	188,44
	TAGPROMF		Mifare® proximity tag 13.56 MHz, key-holder format	9,14



PUBLIC PRICE LIST 2023/1



Retail prices in Euro, applicable from January 2nd 2023

Due to constant increases in raw materials and components, this prices may change throughout 2023.

Product	Code		Description	Recommended retail unit price 2023 in EUR
125 KHz Marine Electronic				
	TAGPROEM		Electronic Marin proximity tag 13.56 MHz, key-holder format	9,92
	ISOPROEM		Electronic Marin proximity card 13.56 MHz technology, ISO format	4,70
Virtual Technology (App)				
	MOD-VR10	New!	License for 10 virtual remote controls for MRS-GSM-4G and M2000-BT (via app)	109,18
	MOD-VR20	New!	License for 20 virtual remote controls for MRS-GSM-4G and M2000-BT (via app)	208,06
	MOD-VR50	New!	License for 50 virtual remote controls for MRS-GSM-4G and M2000-BT (via app)	506,00
	MOD-VR100	New!	License for 100 virtual remote controls for MRS-GSM-4G and M2000-BT (via app)	998,00
UHF proximity technology				
	MEGAPROX8		UHF long range reader (12m). Wiegand 26 bits	2313,42
	TELETAG-V4		Passive UHF badge with bracket	31,04
	TELESTICK-D-P-V4		Passive UHF tag, adhesive and programmable	15,05
GSM ACCESS CONTROL SYSTEMS				
	MR-GSM		2-doors 2G access control system, 433,920MHz built in receiver - 1000 codes - 4-band GSM/GPRS modem (with SIM CARD, 5 years european subscription)	537,32
	MRS-GSM		2-doors 2G access control system, 868MHz built in receiver - 1000 codes - 4-band GSM/GPRS modem (with SIM CARD, 5 years european subscription)	569,70
	MRGSM-EXTI4		2 Wiegand or 4 alarm additionnal entries module for MR-GSM	64,80
	MRGSM-ANTEXT		GSM Remote antenna for MR-GSM	88,85
	MRS-GSM-4G	New!	4G access control with built-in 868MHz receiver, encrypted transmission with SLIM4S +, 1000 codes, 2 virtual remote controls included by default (delivered with SIM card, 10-year subscription)	329,60



PUBLIC PRICE LIST 2023/1



Retail prices in Euro, applicable from January 2nd 2023

Due to constant increases in raw materials and components, this prices may change throughout 2023.

Product	Code		Description	Recommended retail unit price 2023 in EUR
ACCESSORIES & SOFTWARES				
	MF-USB		Desktop reader/encoder Mifare®, USB connection	622,97
	BIO-USB		USB enroller for fingerprints	1570,77
	DONGLE-V10		Dongle for MT50000/2 or MT/50000/4, up to 10 active doors management on the software, Software SWAMIGO3 can be downloaded on the website www.prastel.com	922,79
	DONGLE-V40		Dongle for MT50000/2 or MT50000/4, up to 40 active doors management on the software, Software SWAMIGO3 can be downloaded on the website www.prastel.com	1729,47
	DONGLE-V140		Dongle for MT50000/2 or MT50000/4, up to 140 active doors management on the software, Software SWAMIGO3 can be downloaded on the website www.prastel.com	3559,66
	DONGLE-V840		Dongle for MT50000/2 or MT50000/4, up to 840 active doors management on the software, Software SWAMIGO3 can be downloaded on the website www.prastel.com	5348,79
	MOD-LPR		Managing module for vehicles numberplates. SURVISION® and DIGIFORT® range	3411,36
	MOD-AFF		Display module for SWAMIGO3	2288,81
	COF120-N		Steel coated dark grey column. Pre-drilled hole for cable entry. Suitable for PRASTEL keypads installation (EASYBKA, EASYBKW...)- H120 cm	189,06
POWER SUPPLIES				
	AR1S		12V- 1,2A buffer switched mode power supply with integrated battery charger, DIN rail mounting (battery not included)	56,65
	AR2B		12V-2A buffer switched mode power supply with integrated battery charger, DIN rail mounting (battery not included)	104,75
	AR5S		12V-4A buffer switched mode power supply with integrated battery charger, DIN rail mounting (battery not included)	150,30
	ABM4V		Switch-mode 4,5A backup power supply in metal box, with anti-opening tamper (battery not included)	249,34
AFTER-SALES SERVICE				
	SAV-DIST		Remote assistance by Teamviewer to put in service an access-control system-service 1/2 day by appointment	C/U
	SAV-DEPL		"on-site" Assistance day with one of our technician for the putting into service of an access control system - Service by appointment and traveling cost to be estimated	C/U



PUBLIC PRICE LIST 2023/1



Retail prices in Euro, applicable from January 2nd 2023

Due to constant increases in raw materials and components, this prices may change throughout 2023.

Product	Code		Description	Recommended retail unit price 2023 in EUR
OUTDOOR PERIMETER BARRIERS				
<i>PH line</i>				
	2PH-60C		I.R. barrier, double beams, max. range 60 m* outdoor, IP55	225,89
	2PH-150A		I.R. barrier, double beams, max. range 150m* outdoor, IP55	452,93
	4PH-200A		I.R. barrier, 2 double beams, max. range 200 m* outdoor, IP55	692,45
	RF217		Kit for wireless alignment of PH series perimeter barriers	795,68
<i>INFRA Column & accessories</i>				
	INFRA15		Aluminium and polycarbonate column, height 1.5 m	237,61
	INFRA20		Aluminium and polycarbonate column, height 2 m	310,23
	INFRA25		Aluminium and polycarbonate column, height 2.5 m	389,43
	FLINFRA45		Metal base for ground mounting of INFRA column up to 2 m	297,02
	FLINFRA165		Metal base for ground mounting of INFRA column over 2 m	356,42
	TAINFRA		Upper plug+ring nut and tread-resistant device for INFRA column	52,80
	STIOR2		Mounting support for 2PH-60C barrier (Tx and Rx) inside INFRA column	24,36
	SUPINFRA		Wall-mounting support for INFRA column	39,74
	TINFRAB		Bottom plug+ring nut with holes for laying cables for INFRA column	60,38



PUBLIC PRICE LIST 2023/1



Retail prices in Euro, applicable from January 2nd 2023

Due to constant increases in raw materials and components, this prices may change throughout 2023.

Product	Code		Description	Recommended retail unit price 2023 in EUR
CONTROL DEVICES				
<i>Radio 433.920 MHz</i>				
	ANT433		433.920 MHz tuned single-strand antenna, corner bracket and 2.5 m cable	44,69
	ANT433S		433.920 MHz tuned multi-strand professional antenna, corner bracket and 2.5 m cable	69,51
	MPSTF3E		3-channel transmitter, 433.920 MHz, micro dip-switch coding	44,21
	MPSTL4E		4-channel transmitter 433,920 MHz, sequential unique code	55,39
	MPSTP2E-XP		2-channel transmitter 433.920 MHz, Rolling Code, XP and RW+	44,56
	SLIM+		4-channel Rolling code transmitter, 433.920 MHz, rolling code, XP and RW+ code management, encrypted transmission	47,46
	SLIM2E+		2-channel Rolling code transmitter, 433.920 MHz, rolling code, XP and RW+ code management, encrypted transmission	45,22
	SLIM2E		2-channel Rolling code transmitter, 433.920 MHz, rolling code, XP and RW+ code management,	38,60
	SLIM4E		4-channel Rolling code transmitter, 433.920 MHz, rolling code, XP and RW+ code management, white & chrome-plated casing	39,96
	TC2E		2-channel Rolling code transmitter, 433.920 MHz, rolling code, XP and RW+ code management, black & chrome-plated casing	37,57
	TC4E		4-channel Rolling code transmitter, 433.920 MHz, rolling code, XP and RW+ code management, black & chrome-plated casing	39,91
	MRMINI1E+		1-channel receiver, 433,920 MHz, 1000 codes, IP50	107,65
	MRMINI2E+2C		2-channel receiver, 433,920 MHz, 2 commons, 1000 codes, IP50	129,92
	KITMRMINI2E+		Radio Kit composed with 2 transmitters SLIM2E+ + 1 receiver MRMINI2E+	206,60
	MR1E-XP		1-channel Rolling code receiver 433.920 MHz, 1000 codes, EASYROLL code management	136,63
	MR2E+		2-channel Rolling code receiver 433.920 MHz, 1000 codes, EASYROLL code management, IP55	129,41
	MR2E230-DIN		433,920MHz radio receiver, 230V, 2 relays : monostable or bistable, DIN rail mounting	141,53
	MR4E+		4-channel Rolling code receiver 433.920 MHz, 1000 codes, EASYROLL code management, IP55	159,69

PRASTEL FRANCE

ZI Athélia II, 225 Impasse du Serpolet, 13704 LA CIOTAT Cedex

Tel : 04.42.98.06.06 - Fax : 04.42.04.53.51

SAS au capital de 200 000 € / TVA FR 014202888 39



PUBLIC PRICE LIST 2023/1



Retail prices in Euro, applicable from January 2nd 2023

Due to constant increases in raw materials and components, this prices may change throughout 2023.

Product	Code		Description	Recommended retail unit price 2023 in EUR
Radio 868 MHz				
	ANT868S		868 MHz tuned single-stranded professional antenna, corner bracket and 2.5 m cable	54,15
	TC4S		4-channel Rolling code transmitter, 868 MHz, EASYROLL code management, blue & chrome-plated casing	48,47
	MR4S-XP		4-channel Rolling code receiver 868 MHz, 1000 codes, EASYROLL code management, IP55	168,62
	SLIM4S+		4-channel 868 MHz transmitter, Rolling Code, XP and RW +, encrypted and copy-proof transmission, matt blue, white keys	47,46
	MRMINI2S+		2-channel miniaturized receiver 868 MHz, 1000 encrypted codes, IP20	129,92
Radio 26.995 MHz				
	ANT26.9		26.995 MHz tuned single-stranded antenna, corner bracket and 2.5 m cable	59,78
	KMFT4P		4-channel miniaturized transmitter 26.995 MHz, dip-switch coding	53,86
	MR4F		4-channel receiver 26.995 MHz, 1000 codes, IP55	188,50



PUBLIC PRICE LIST 2023/1



Retail prices in Euro, applicable from January 2nd 2023

Due to constant increases in raw materials and components, this prices may change throughout 2023.

Product	Code		Description	Recommended retail unit price 2023 in EUR
Radio GSM				
	MR-GSM		2-doors 2G access control, 433,920MHz built in receiver - 1000 codes - 4-band GSM/GPRS modem (with SIM CARD, 5 years european subscription)	537,32
	MRS-GSM		2-doors 2G access control, 868MHz built in receiver - 1000 codes - 4-band GSM/GPRS modem (with SIM CARD, 5 years european subscription)	569,70
	MRGSM-EXTI4		2 Wiegand or 4 alarm additionnal entries module for MR-GSM	64,80
	MRGSM-ANTEXT		GSM Remote antenna for MR-GSM	88,85
	MRS-GSM-4G	New!	4G access control with built-in 868MHz receiver, encrypted transmission with SLIM4S +, 1000 codes, 2 virtual remote controls included by default (delivered with SIM card, 10-year subscription)	329,60
Radio : management & programming tools				
	GT+		Portable device for receivers and transmitters memory management, can operate as standalone or slave when connected to a PC (micro-USB port on board)	358,54
VIDEO DOORPHONES				
	VISIODOOR-2A+		Kit including a colour monitor with 100 images memory, an outdoor station vandal-resistant flush mounted + rain cover, and a DIN rail power supply (2 wires connection)	736,71
	VISIO2-MS		"Hands free" monitor, 7" colour display, extra-flat, 100 images memory, touch buttons	406,94
CONTROL PANELS				
	TC550		Control panel for 1 motor 230V, 433.920 MHz receiver, for rolling metal shutters, awnings or blinds automation	109,54
	TC1000-S		Control panel for metal shutters, 433.920MHz receiver, 1000W power, emergency stop button on the box	208,07
	TC2000		Control panel for metal shutters, 433.920MHz receiver, 2000W power, with security inputs	241,90
	UNIK2E230-BT	New!	Self-learning control unit 2 motors 230 V, built-in 433.920 MHz receiver, in ABS box with integrated transformer, programming via smartphone application	C/U
	UNIK2E230-BT-SK	New!	Self-learning control unit 2 motors 230 V, built-in 433.920 MHz receiver, programming via smartphone application (board only)	C/U
	UNIK3I		Control unit for 1 motor 230 V three-phase with frequency converter, delta connected	764,95



PUBLIC PRICE LIST 2023/1



Retail prices in Euro, applicable from January 2nd 2023

Due to constant increases in raw materials and components, this prices may change throughout 2023.

Product	Code		Description	Recommended retail unit price 2023 in EUR
PHOTOBAMS & ACCESSORIES				
	CR10MS		Diodes (1 Tx + 1 Rx) for FOTO9S2AST amplifier, flush or wall mounted, max. range 10m*, 8 m shielded cable, IP67	43,02
	FOTO9S2AST		Amplifier for CR10MS diode, management of 1 or 2 beams, individual sensitivity adjustment for each beam, in water-tight box IP67	122,58
	CR15NM-PNP		PNP optical photocell (Tx + Rx) range = 15M - 10M cable, integrated electronics, colour LED display, setting via smartphone	85,06
	CR15NM-NPN		NPN optical photocell (Tx + Rx) range = 15M - 10M cable, integrated electronics, colour LED display, setting via smartphone	85,06
	FOTO30-A		IR photocell wall mounted, autotest, max. range 30 m*, IP45 - Cover design "squared"	55,80
	FOTO30-B		IR photocell wall mounted, autotest, max. range 30 m*, IP45 - Cover design "curved and shiny"	49,60
	FOTO-R	New!	IR photocell wall mounted, optical head freely adjustable (horizontal plane 180°, vertical plane ±30°), autotest, max. range 30 m*, IP45	NC
	FOTO35		IR photocell flush mounted, autotest, max. range 35 m*, IP44	85,26
	FT12		Polycarbonate photocell- adjustable (horizontal plane 180°)-wall mounted - max. range 12m*	97,58
	FT20-AV		Vandal proof photocell, 180 ° horizontally adjustable, polycarbonate base and metal cover, surface mounted, max range 20m*	113,64
	FT25B		IR photocell wall mounted, Tx battery or wired power supply (batteries not included), max. range 25 m*, IP45	78,71
	FOTO-RB	New!	IR photocell wall mounted, Tx alkaline battery power supply (batteries not included), optical head freely adjustable (horizontal plane 180°, vertical plane ±30°), autotest, max. range 30 m*, IP45	C/U
	FSTYLE25A		IR anti-vandal photocell wall mounted, autotest, max. range 20 m*, IP65	207,31
	FT30-AV		IR anti-vandal photocell wall mounted, LED signal for alignment, optical head freely adjustable (horizontal plane 180°, vertical plane ±30°), max. range 30 m*, IP55	189,46
	BATF		Kit composed with 2 lithium batteries 3.6V - 2.7A for FT25B photocells	36,82
	COF60-N		Aluminium column. Pre-drilled hole for surface mounted photocells. H 60 cm. Sold per unit	104,32

PRASTEL FRANCE

ZI Athélie II, 225 Impasse du Serpolet, 13704 LA CIOTAT Cedex

Tel : 04.42.98.06.06 - Fax : 04.42.04.53.51

SAS au capital de 200 000 € / TVA FR 014202888 39



PUBLIC PRICE LIST 2023/1



Retail prices in Euro, applicable from January 2nd 2023

Due to constant increases in raw materials and components, this prices may change throughout 2023.

Product	Code		Description	Recommended retail unit price 2023 in EUR
SAFETY EDGES				
	CMM200		Electro-mechanical safety edge, 2 switches, EN standards, L. 2 m (packaging by 10 pieces)	126,18
	CMM200/J		Electro-mechanical safety edge, 2 switches, EN standards, L. 2 m, yellow (packaging by 10 pieces)	135,67
	CMO-200		Electro-mechanical safety edge, 3 switches, EN standards, L. 2 m (packaging by 10 pieces)	169,61
	TCO6-P		Safety accessory (magnet) for wicket door integrated into sectional door	18,23
	TCO7KIT		868 MHz radio band kit for safety edges, 1 contact input, composed with 1 receiver TCO6RX + 1 transmitter TCO6TX (waterproof box for the transmitter)	233,78
	TCO7RX		868 MHz bidirectional transceiver system for safety edge - Receiver	129,62
	TCO7TX		868 MHz bidirectional transceiver system for safety edge, 1 contact input - Transmitter in a waterproof box	140,56
	TCOG-KIT-P		Radio bridge Tx+Rx + magnet for sectional doors- 868 MHz - 2-direction	188,88
	TCOG-TX		Transmitter for radio bridge 868 MHz - sectional doors	111,41
	TCOG-RX		Receiver for radio bridge 868 MHz - sectional doors	100,80
FLASHING LIGHTS				
	FEBO-LIGHT		"All-in-one" flashing light: multi-voltage 12-24-230V, fixed or flashing	60,65
	FLIGHT-SUP		Bracket for FEBO-LIGHT angle mounting	5,00
	FLIGHT-MET		Metal protection for FEBO-LIGHT	25,99
	FLIGHT-ANT433-W		433 MHz antenna for FEBO-LIGHT + coaxial cable diam 5 mm, 50 Ohm	28,84
	FLIGHT-ANT868-W		868 MHz antenna for FEBO-LIGHT+ coaxial cable diam 5 mm, 50 Ohm	28,84
METAL MASS DETECTORS				
	MLX24V-3		1-channel 12/24 V loop detector, LED display for sensitivity adjustment, DIN rail mounting	267,50
	MLX220BZ		1-channel 220 V loop detector with Undekal socket	211,63
	WIRE1		Pre-assembled cable for MLX loop detector, 6 m perimeter	74,31
	WIRE2		Pre-assembled cable for MLX loop detector, 10 m perimeter	84,62
* Caution : measured distances may depend on product set-up and installation environment, external perturbations may reduce the range.				